

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (CURRENTLY AMENDED) A method ~~implemented in a computing environment of~~ producing a unique modified account name based on a requested account name that has been determined to already exist, the method comprising ~~the steps of:~~

receiving a requested account name from a user;

selecting a word element from ~~at least one~~ list of word elements;

combining the word element and at least a stem of the requested account name to produce a modified account name;

comparing the modified account name with a list of existing account names to determine whether the modified account name is unique; and

if the modified account name is unique, providing the modified account name to the user for acceptance.

2. (CURRENTLY AMENDED) A method as recited in claim 1, wherein the word element is randomly selected from the at least one list of word elements.

3. (ORIGINAL) A method as recited in claim 1, wherein the word element is an adjective.

4. (ORIGINAL) A method as recited in claim 1, wherein the word element is an affix.

5. (CURRENTLY AMENDED) A method as recited in claim 1, further comprising ~~the step of~~ producing a second modified account name based on the requested account name that has been determined to already exist, the second modified account name being produced by:

randomly selecting a second word element from the at least one list of word elements;

combining the second selected word element with the at least the stem of the requested account name to produce the second modified account name;

comparing the second modified account name with the list of existing account names to determine whether the second modified account name is unique; and

if the second modified account name is unique, providing the second modified account name to the user for acceptance.

6. (CURRENTLY AMENDED) A method as recited in claim 1, further comprising ~~the step of~~ producing a unique seeded account name based on the requested account name, the unique seeded account name being produced by:

combining the at least the stem of the requested account name with a numerical seed to produce a first seeded account name;

comparing the first seeded account name with the list of existing account names to determine whether the first seeded account name is unique; and

if the first seeded account name is unique, providing the first seeded account name to the

user for acceptance.

7. (CURRENTLY AMENDED) A method as recited in claim 6, wherein the seed is a single digit number, the method further comprises ~~the steps of~~ incrementing the numerical seed by one if the first seeded account name is not unique, combining the at least the stem of the requested account name with the incremented seed to produce a second seeded account name, comparing the second seeded account name with the list of existing account names to determine whether the second seeded account name is unique, and if the second seeded account name is unique, providing the second seeded account name to the user for acceptance.

8. (ORIGINAL) A method as recited in claim 6, wherein the numerical seed is a multi-digit number that is randomly generated.

9. (CURRENTLY AMENDED) A method as recited in claim 8, further comprising ~~the steps of~~ generating a second multi-digit numerical seed if the first seeded account name is not unique, combining the at least the stem of the requested account name with the second numerical seed to produce a second seeded account name, comparing the second seeded account name with the list of existing account names to determine whether the second seeded account name is unique, and if the second seeded account name is unique, providing the second seeded account name to the user for acceptance.

10. (CURRENTLY AMENDED) A method as recited in claim 6, further comprising

~~the steps of combining~~ the at least the stem of the requested account name with both an underscore and the numerical seed to produce a second seeded account name if the first seeded account name is not unique, comparing the second seeded account name with the list of existing account names to determine whether the second seeded account name is unique, and if the second seeded account name is unique, providing the second seeded account name to the user for acceptance.

11. (CURRENTLY AMENDED) A method as recited in claim 1, further comprising ~~the steps of:~~
randomly selecting two further word elements and combining them to produce a random account name;
comparing the random account name with a list of existing account names to determine if the random account name is unique; and
if the random account name is unique, providing the account name to a user for acceptance.

12. (CURRENTLY AMENDED) A method as recited in claim 1, wherein if the modified account name is not unique, the ~~steps for~~ operations producing the unique modified account name are repeated for up to a predetermined number of iterations until a unique modified account name is produced.

13. (CURRENTLY AMENDED) A method as recited in claim 5, wherein if the

second modified account name is not unique, the ~~steps for~~operations producing the unique second modified account name are repeated for up to a predetermined number of iterations until a unique second modified account name is produced.

14. (CURRENTLY AMENDED) A method as recited in claim 6, wherein if the first seeded account name is not unique, the ~~steps of~~operations producing the unique first seeded account name are repeated for up to a predetermined number of iterations until a unique first seeded account name is produced.

15. (CURRENTLY AMENDED) A method as recited in claim 1, further comprising ~~the steps of~~ combining the requested account name with both an underscore and the randomly selected word element to produce a second modified account name if the first modified account name is not unique, comparing the second modified account name with the list of existing account names to determine whether the second modified account name is unique, and if the second modified account name is unique, providing the second modified account name to the user for acceptance.

16. (CURRENTLY AMENDED) A computer-readable medium having computer-executable instructions for a method of producing a unique modified account name based on a requested account name that has been determined to already exist, the method comprising ~~the steps of~~:

selecting a word element from at least one list of word elements;

combining the word element and at least a stem of the requested account name to produce a modified account name;

comparing the modified account name with a list of existing account names to determine whether the modified account name is unique; and

if the modified account name is unique, providing the modified account name to the user for acceptance.

17. (CURRENTLY AMENDED) A method ~~implemented in a computing environment~~ of producing a unique random account name in response to a request by a user, the method comprising ~~the steps of~~:

receiving a requested account name from a user;

selecting a first word element from a database including aat least one preexisting list of word elements;

selecting a second word element from the database;

combining the first and second word elements to produce a random account name;

comparing the random account name with a list of existing account names to determine if the random account name is unique; and

if the random account name is unique, providing the random account name to the user for acceptance.

18. (ORIGINAL) A method as recited in claim 17, wherein the first and second word elements are randomly selected from the database.

19. (ORIGINAL) A method as recited in claim 17, wherein the first word element is an adjective and the second word element is a noun.

20. (CURRENTLY AMENDED) A method as recited in claim 17, wherein if the random account name is not unique, the ~~steps for~~operations producing the unique random account name are repeated for up to a predetermined number of iterations until a unique modified account name is produced.

21. (CURRENTLY AMENDED) A method as recited in claim 20, wherein if the unique random account name is produced in fewer than the predetermined number of iterations, the method ~~further includes the steps of~~further comprising:

selecting further word elements from the database;
combining the further selected word elements to produce a further random account name;
comparing the further random account name with the list of existing account names to determine whether the further random account name is unique; and
if the further random account name is unique, providing the second modified account name to the user for acceptance.

22. (CURRENTLY AMENDED) A method as recited in claim 17, further comprising ~~the steps of~~ combining an underscore between the word elements to produce a second random account name if the first random account name is not unique, comparing the second random

account name with the list of existing account names to determine whether the second random account name is unique, and if the second random account name is unique, providing the second random account name to the user for acceptance.

23. (CURRENTLY AMENDED) A computer-readable medium having computer-executable instructions for performing a method of producing a unique random account name in response to a request by a user, the method comprising ~~the steps of~~:

selecting a first word element from a database including ~~a~~ at least one preexisting list of word elements;

selecting a second word element from the database;

combining the first and second word elements to produce a random account name;

comparing the account name with a list of existing account names to determine if the account name is unique; and

if the account name is unique, providing the account name to the user for acceptance.

24. (CURRENTLY AMENDED) A computer-readable medium having computer-executable components for producing a unique modified account name based on a requested account name that has been determined to already exist, comprising:

a user interface component for receiving an account name request;

a database component including ~~a~~ at least one list of word elements and a list of existing account names;

a name generating component for selecting word elements from the ~~a~~ at least one list of

word elements and combining the word elements with at least a stem of the requested account name to produce modified account names, if the requested account name is not unique when compared to the list of existing account names; and

a search component for comparing the modified account names with a list of existing account names to determine whether the modified account names are unique and, if the modified account names are unique, providing the modified account names to the user for acceptance.

25. (ORIGINAL) A computer-readable medium as recited in claim 24, wherein the word elements are affixes.

26. (ORIGINAL) A computer-readable medium as recited in claim 24, wherein the word elements are adjectives.

27. (CURRENTLY AMENDED) A computer-readable medium as recited in claim 24, wherein the name generating component randomly selects the word elements from the a at least one list of word elements.

28. (CURRENTLY AMENDED) A computer-readable medium as recited in claim 24, wherein the name generating component further produces a seeded account name based on the requested account name, the seeded account name being produced by combining the at least the stem of the requested account name with a numerical seed, the search component comparing the seeded account name with the list of existing account names to determine whether the seeded

account name is unique, and if the seeded account names is unique, providing the seeded account name to the user for acceptance.

29. (ORIGINAL) A computer-readable medium as recited in claim 24, wherein the name generating component further produces a random account name by selecting two further word elements and combining them, the search component comparing the random account name with the list of existing account names to determine whether the random account name is unique, and if the random account name is unique, providing the random account name to the user for acceptance.

30. (ALLOWED) A method implemented in a computing environment of producing a unique account name based on a requested account name comprising:

receiving a request from a user for an account name;

utilizing multiple solution sets to produce a listing of unique account names, wherein there is a limit to the number of iterations for which each one of the multiple solution sets is utilized, and when said limit is reached a different solution set is utilized, and wherein said list of account names must contain a fixed number of unique account names; and

presenting the user with said listing of unique names and allowing the user to select one of said listings as an account name;

said multiple solution set comprising:

a first solution set to provide at least one unique account name based on the requested account name, by combining the requested account name with a numerical seed;

a second solution set to provide at least one unique account name based on the requested account name, by combining the requested account name with a multi-digit seed if one or more previously utilized solution sets did not provide said fixed number of unique account names within the iteration limit;

a third solution set to provide at least one unique account name based on the requested account name, by pre-pending the requested account name with an adjective from a list of words, if one or more previously utilized solution sets did not provide said fixed number of unique account names within the iteration limit; and

a fourth solution set to provide at least one unique account name, by combining two word elements from two lists of words, if one or more previously utilized solution sets did not provide said fixed number of unique account names within the iteration limit.

31. (CURRENTLY AMENDED) A method ~~implemented in a computing environment~~ of producing a unique random account name in response to a request by a user, the method comprising ~~the steps of~~:

receiving a request to generate a unique random account name from a user;

providing without any input or suggestion of names from the user, a list of multiple alternate unique account names; and

providing the user with the ability to select any one of said alternate unique account names, enter a new string for use as an account name or request an automated generation of a new list of multiple alternate unique account names.

32. (NEW) The method of claim 1, further comprising:
receiving an acceptance of the modified account name from the user.
33. (NEW) The method of claim 17, further comprising:
receiving an acceptance of the random account name from the user.
34. (NEW) The computer-readable medium of claim 24, wherein the user interface component is also for receiving an acceptance of one of the modified account names from the user.
35. (NEW) The method of claim 1, further comprising:
receiving an alternate requested account name from the user.
36. (NEW) The method of claim 17, further comprising:
receiving an alternate requested account name from the user.
37. (NEW) The computer-readable medium of claim 24, wherein the user interface component is also for receiving an alternate requested account name from the user.
38. (NEW) The method of claim 1, further comprising:
receiving a request to generate an alternate account name from the user.

39. (NEW) The method of claim 17, further comprising:

receiving a request to generate an alternate account name from the user.
40. (NEW) The computer-readable medium of claim 24, wherein the user interface is

also for receiving a request to generate an alternate account name from the user.
41. (NEW) The method of claim 1, wherein the word element is a noun.
42. (NEW) The method of claim 1, wherein the word element is a noun stem.
43. (NEW) The computer-readable medium of claim 24, wherein the word element

are nouns.
44. (NEW) The computer-readable medium of claim 24, wherein the word elements

are noun stems.
45. (NEW) The method of claim 1, wherein the method is repeated until a

predetermined number of modified account names is produced.
46. (NEW) The method of claim 17, wherein the method is repeated until a

predetermined number of random account names is produced.

47. (NEW) A method implemented in a computing environment of producing a unique modified account name based on a requested account name that has been determined to already exist, the method comprising the steps of:

selecting a word element from a list of word elements;

combining the word element and the requested account name to produce a modified account name;

comparing the modified account name with a list of existing account names to determine whether the modified account name is unique; and

if the modified account name is unique, providing the modified account name to the user for acceptance,

wherein the word element is an adjective.

48. (NEW) A method implemented in a computing environment of producing a unique modified account name based on a requested account name that has been determined to already exist, the method comprising the steps of:

selecting a word element from a list of word elements;

combining the word element and the requested account name to produce a modified account name;

comparing the modified account name with a list of existing account names to determine whether the modified account name is unique; and

if the modified account name is unique, providing the modified account name to the user for acceptance,

wherein the word element is an affix.

49. (NEW) A method implemented in a computing environment of producing a unique random account name in response to a request by a user, the method comprising the steps of:

- selecting a first word element from a database including a list of word elements;
- selecting a second word element from the database;
- combining the first and second word elements to produce a random account name;
- comparing the account name with a list of existing account names to determine if the account name is unique; and
- if the account name is unique, providing the account name to the user for acceptance, wherein the first word element is an adjective and the second word element is a noun.

50. (NEW) A computer-readable medium having computer-executable components for producing a unique modified account name based on a requested account name that has been determined to already exist, comprising:

- a user interface component for receiving an account name request;
- a database component including a list of word elements and a list of existing account names;
- a name generating component for selecting word elements from the a list of word elements and combining the word elements with the requested account name to produce modified account names; and

a search component for comparing the modified account names with a list of existing account names to determine whether the modified account names are unique and, if the modified account names are unique, providing the modified account names to the user for acceptance, wherein the word elements are affixes.

51. (NEW) A computer-readable medium having computer-executable components for producing a unique modified account name based on a requested account name that has been determined to already exist, comprising:

a user interface component for receiving an account name request;

a database component including a list of word elements and a list of existing account names;

a name generating component for selecting word elements from the a list of word elements and combining the word elements with the requested account name to produce modified account names; and

a search component for comparing the modified account names with a list of existing account names to determine whether the modified account names are unique and, if the modified account names are unique, providing the modified account names to the user for acceptance, wherein the word elements are adjectives.